

EGHOLM



New

Drive with conscience.
Drive with comfort.

**Park Ranger
2155**

Drive with conscience.

Environmentally friendly, durable and reliable

The well-known Park Ranger 2150 has undergone a major transformation. Not only has it received a new and more modern design - it has also received a large number of new and/or improved features.

As before, the Park Ranger 2155 is equipped with a reliable and efficient Stage V diesel engine, designed to meet European emission standards - without compromising on performance. The Stage V engine is approved to run on environmentally friendly HVO100 biodiesel.

With the Park Ranger 2155 you are not only future-proofed, you also drive in an environmentally friendly way.






Drive with comfort.



... with or without cabin.



Illustrations can be shown with extra equipment.

Park Ranger 2155




Technical specifications

Basic machine

Length	mm	2277
Width	mm	1007
Height with / without cabin	mm	1987 / 1350
Weight with / without cabin ¹⁾	kg	740 / 598
Payload with / without cabin	kg	560 / 702
Gross vehicle weight (GVA)	kg	1300
Turning circle - kerb to kerb	mm	3180
Turning circle - inside	mm	1120
Engine: Perkins diesel 403J-11	hp / kW	25 / 18,4
4-wheel drive		Standard

¹⁾ Includes: 75 kg operator and 90% fuel capacity.

... a new machine with 19 familiar attachments.



Options

Rear view camera with colour screen **NEW**

Heated side view mirrors **NEW**

LED working lights - front **NEW**

LED working light - rear

Beacon

Flash light **NEW**

Mechanical seat - Grammer **NEW**

Air suspension seat - Cobo

Armrest - Grammer **NEW**

Armrest - Cobo

Cup holder **NEW**

Radio

DAB+ radio

Large radiator cover

Load carrier

Rear lifter

Counterweight

Number plate kit (front + rear)

Shovel and broom holder

Tyres (18 x 9.50-8 / 4 layers)

Anti-corrosion treatment



PR 2155

Your benefits ...



**25 HP and
4-wheel drive**

- 25 HP - ensures efficient operation
- 4-wheel drive - reliable traction and driving force in all conditions
- Solves the tasks in no time



Manoeuvrable

- Articulated steering - highly manoeuvrable and good overview
- Flexibility - solves tasks faster
- Compact - operates in narrow spaces



**Operator
comfort**

- Fewer vibrations
- Easy access to the operator seat
- Easy operation of all functions and handles



Light weight

- Low weight - perfect on lawns
- Leaves no traces or damages
- Improves image of area or site



**Stage V - for
the environment**

- Low particle emissions
- Energy efficient and optimised fuel economy
- Reduced noise level
- Approved for HVO100 biodiesel



**Attachment
change 4 min.**

- Easy and quick attachment change
- Simple coupling system - everyone can handle it
- High efficiency - no hesitation
- Improved return on investment



**Tailor-made
attachments**

- Match the machine perfectly
- Maintain flexibility and balance
- Top performance is achieved



**Danish design
and production**

- The Egholm utility machines and attachments are Danish designed and produced - built by skilled craftsmen - monitoring every tiny detail of our solutions.

Egholm A/S

Transportvej 27
7620 Lemvig, Denmark
T.: +45 97 81 12 05
www.egholm.eu
info@egholm.dk